



GUAM ENVIRONMENTAL PROTECTION AGENCY - AHENSIAN PRUTEKSIÓN LINA'LA' GUÁHAN  
LOURDES A. LEON GUERRERO • GOVERNOR OF GUAM | JOSHUA F. TENORIO • LIEUTENANT GOVERNOR OF GUAM  
WALTER S. LEON GUERRERO • ADMINISTRATOR | MICHELLE C. R. LASTIMOZA • DEPUTY ADMINISTRATOR

## STOP WORK ORDER

Notice of Violation issued to ("Respondent"): Control Number: WPC2022-0001  
Owner name: Park, Chu Woo  
Email: \_\_\_\_\_ Phone: (671) 988-4000  
Mailing Address: P.O. Box 27333 Barrigada, Guam 96921  
Physical address: Lot: 5119-2-NEW Upper Tumon

### Description of Violation(s):

GEPA staff conducted an inspection of the premises described above and found the following violations:

1. Work consisting of one or more of the following was observed to be underway, or already completed, without a grading permit: grading, clearing, grubbing, embankment, filling, excavation, or other earth-moving activity.

The facts described above indicate a violation of 22 GAR §10103(A), "Permits Required": "(1) *Unless exempted, no person shall commence or perform any grading, clearing, grubbing, embankment, filling, excavation or other earth-moving activity without a grading permit; (B) Unless exempted, no person shall commence or perform any stockpiling without a stockpiling permit.*"

### Stop Work Order:

Under the authority of the Guam Soil Erosion and Sediment Control Regulations, 22 GAR §10110(C), Respondent is ordered to immediately cease all earth-moving and construction activities and comply with the following:

#### Within 7 calendar days:

- Apply for an after-the-fact permit to the Department of Public Works. Pursuant to 22 GAR §10108(F), two times the regular fees shall be assessed for work which has commenced or been accomplished without a permit.
- Remove all solid waste located in the fill/grubbing area on the slope.
- Install perimeter sediment controls such as silt fence.

This Stop Work Order does not prevent the Guam Environmental Protection Agency (GEPA) from issuing additional orders or taking additional enforcement action. Civil penalties of up to \$10,000 per violation, per day may be assessed as long as the violation continues. Pursuant to 22 GAR §10110(B), GEPA will transmit a copy of this Stop Work Order to the Department of Public Works (DPW). Both GEPA and DPW shall jointly enforce this Stop Work Order.

### Inspector and Recipient Signature

Inspector Verony M. Charfauros  
Name: and Helen R. Gumataotao Title: Environmental Inspector

Inspector  
Signature: Verony Charfauros

Received  
by: Chu Woo Park Nov. 17, 2021

Date and  
time of  
inspection: Nov. 15, 2021 / 8:44 AM

PRINT NAME AND SIGN

Questions regarding this Stop Work Order should be referred to Guam EPA at 300-4751/52/53